

ega
di home &
contract

Tapibel
Your carpet, our tradition

COLLECTION
2023

2
Your carpet,
our tradition.



Your carpet, our tradition.

We are Tapibel, a **passionate carpet manufacturer** based in **Pelt (Belgium)**. We offer modular flooring concepts for every space. Our goal? Sparking creativity with our **innovative and sustainable carpet tile collections**. Get inspired!

Common thread of tradition and respect

Everything starts with the yarn and the fibres. Every carpet and every floor covering starts as a bobbin of basic yarn, millions of yarns that are processed into one whole. The people behind Tapibel know the world of carpet like the back of their hand. We have been true **carpet masters for over fifty years**, producing both tufted and needle felt carpet. We have been passing on the knowledge of carpet production **from generation to generation** since 1970.

You can see, hear and feel **our tradition**: in the authentic factory, in the innovative products, but above all, in the people behind Tapibel. What is our common thread? Respect. Respect for each other, our products, the machines and of course, our customer. The relationships we establish with customers and employees are always **sustainable, open and honest**.

We work with machines to manufacture our carpets and carpet tiles, but **humanity is the central theme**. Our employees man the machines, fill them, adjust them and check the carpets carefully. It's all in the details. Quality and service are key, loose ends (and loose threads) don't stand a chance. Most of our tufted carpets are intended for the contract market for use in offices, hotels and public buildings. Our needle felt carpet is in demand in the event sector.



Strong cohesion

The yarn is processed in the tufting machine. Whether we make a loop pile or cut pile, we always produce a strong and durable carpet. Our employees and customers also strengthen our operation. We prefer to call them "**family**" because it describes our relationship so much better. They are inextricably linked to Tapibel and have worked for decades to make the company what it is today. Each and every day. Thanks to them, we can offer our high-quality products and services.

Flexible connection

The carpet is finished with a strong adhesive compound that holds and connects all the yarns or fibres together. The result is that it forms one whole and remains in good condition. **Flexibility and connection** form the basic yarn of Tapibel. We are prepared to develop and make tailored solutions to our customers. Do you need a smaller number of square metres or maybe more? Do you need a special carpet for an event? We can talk about it. We want to get to know you as a customer and build a strong bond. And we prefer to do that informally.

Global carpet

The result is global carpet. We use the word "global" because Tapibel is a Belgian carpet producer with an international character. We serve customers all over the world. We have customers as far afield as Finland to Cyprus, and from Iceland to Dubai. That means that we naturally take the traditions, customs and trends of the countries to which we export our products into account.

Our carpets and approach are a great fit for today's world because **we consider ecology and sustainability** to be of paramount importance. We are always looking for ways to make our carpet production more sustainable and ecological. Find out more about all our sustainable initiatives here. We keep our promises and make our promises achievable and tangible.

From basic yarn to carpet, Tapibel is a known, reliable player in the carpet industry. We continue innovating and focussing on (the carpet of) the future without losing sight of our common values.



Twise:sustainable initiatives for a greener planet



Our carpets and our approach fit into today's world as we are committed to ecology and sustainability. We are always looking for ways to make our carpets and carpet production more sustainable and ecological. We make this promise a reality with concrete **ecological solutions for a more sustainable modus operandi**.

Discover Twise, Tapibel's sustainability brand.

Why Twise?

1. Tapibel is "wise" to produce greener carpets.
2. All sustainable solutions contain recyclable material.
We give it a second (and third, fourth, ...) life.

The result?

A more sustainable and ecological carpet, from the yarn to the backing.

As a family business, we also think of the next generations. Thanks to these adjustments they can enjoy a greener world and greener carpet.

Ecofuse

The adhesive



Ecofuse is our **ecological alternative to the traditional latex adhesive** compound in both wall-to-wall carpet and carpet tiles. We replace the latex by a sustainable, post-consumer product called PVB(PolyVinylButyral), extracted from used car windows and laminated building glass.

The benefits



of sustainable origin



non-toxic



future-proof



The switch to PVB results
in a latex reduction of
500 tonnes!



Scan the QR code
and discover the PVB
production process!

Ecofuse in our carpets


At Tapibel, we use Ecofuse in many of our carpets. Both in broadloom and in carpet tile.

Precoat

The first adhesive layer between yarn and primary backing to ensure that the yarns bond firmly.


Secondary backing

A second adhesive layer is applied to glue the action or felt backing onto the actual carpet. This final process ensures that the broadloom carpet obtains more body and rigidity.



Greenbase

The modified bitumen backing



Greenbase, short for modified bitumen, is a more sustainable solution for carpet tile backing. It consists of **70%recycledmaterials** (diverted from a waste stream of the limestone mining) which makes it less harmful to the planet. Greenbase guarantees both dimensional stability and strength in the final product.

70%
recycled
materials





The yarns

The yarns of several of our collections are made of ECONYL®. The material is made of **100% renewable Polyamide 6 or nylon**. ECONYL® has exactly the same properties of standard nylon with a more durable edge: it can be regenerated indefinitely without loss of quality.

By reusing the materials the ECONYL® yarn contributes to a **circular economy**.




Currently, **25%** of **the yarns** we use in production are **ECONYL®**.



Compared to virgin yarns, the **CO₂ emissions** of ECONYL are reduced by **90%**.




The regeneration process of ECONYL®




1. Rescue

We collect waste (fishing nets, dust scraps, old carpets, etc.). The materials are cleaned and sorted.



2. Regenerate

After a thorough regeneration and purification process, the nylon waste is returned to its original state. The raw material now consists of pellets and dispersions.



3. Remake

ECONYL® regenerated nylon is processed into yarns and textile.



4. Reimagine

With this new yarn, manufacturers such as Tapibel can get to work. We create new ECONYL® carpet collections.



Other sustainability initiatives



a large solar panel park on the roof

The 2500 solar panels generate 500mW/year which represents 35% of our total electricity consumption.



electric charging stations in the car park

We encourage employees and visitors to drive electric. The charging stations in the car park are a boost.



simultaneous dispatch of samples and orders

We keep polluting transports to a minimum by sending as many orders as possible at the same time.




ecological packaging for our carpets

We pack our carpets in recyclable cardboard boxes.



a heat pump for the offices

The heat pump is powered by the solar panels and extracts heat and cold from the constant temperature of the ground. 9000metres of ducts filled with water in underfloor heating and a climate ceiling ensure a pleasant temperature.



Compose your ideal carpet

The possibilities are endless with carpet. There are dozens of colours available, in different sizes, with or without special finishes. Add to that the myriad of installation layouts from modular carpet tiles and you can **easily create unique floor concepts**.

Because that personal touch is so important, you can create your own carpet at Tapibel, **starting from as little as 200m²**.

First things first, **the tile format**. Do you choose the larger square tiles (100 x 100 cm) or do you prefer the rectangular tiles of 100 x 50 cm? Want something more special in your interior? The carpet planks of 25 x 100 cm make every room an eye-catcher.

Foot comfort and good acoustics are important advantages of carpet. Do you want to optimize those two aspects? Then choose **Soundblock** to finish the back of your carpet tile. That way you can enjoy the best that carpet has to offer.


Not found what you are looking for in the colour bank of a collection? Tapibel offers the **Cobalt Colour Concept**. Read more about it on the following pages.

Tile format

Today's working environments or hospitality interiors feature more than just one design or colour style. Interior designers prefer a more **sophisticated** and **creative carpet look** that can be combined with hard flooring specifications. A **unique signature** to each of their projects.

At Tapibel we emphasize the importance of this **modular flooring trend**. For projects **exceeding 200m²**, **special tile sizes** are made available in both Greenbase or Soundbloc backing.

Custom made tile/plank orders may result in an overproduction of about 10% which is mandatory to purchase. Keep this in mind when you calculate and budget your project work.




Soundbloc

Carpet is a natural sound absorber and reduces impact noise while absorbing sound within the space. **All our qualities have sound absorbing properties and reduce impact noise.** Several collections even reach the α_w 0,35 threshold, reducing sound up to 50%.

Sound is an **important aspect** in many buildings like office environments, hotels, schools and educational facilities, hospitals, nursing homes and healthcare infrastructure. In all these environments, bad acoustics and intrusive sounds can damage the functionality of the environment.

Modern office workplaces should support work optimally and provide a positive ambiance to the employees. Furthermore, they should encourage staff motivation and the power of concentration. Flexible office structures combined with communicative room structures meet those demands best. Create a **productive environment** by **improving room acoustics** with our **soundabsorbing polyester felt tiles**. Add an extra layer of comfort under working feet and transform offices into pleasant working spaces.



1

Tufted **polyamide top cloth** on a **polyester fleece primary backing** with a **precoat** finish for improved fibre bond

2

Bitumen with glassfibre scrim secondary backing to assure dimensional stability and improve laying properties



3

500gr Soundbloc polyester felt backing to increase acoustic performance, durability and underfoot comfort

Cobalt Colour Concept

28 Cobalt colours to create from


At Tapibel we love a creative challenge and we like to stimulate your imagination. Do you want to create a truly unique floor? Then you have to look beyond our stock collections.

Our brand new Cobalt Colour concept will surely fire up your creativity. For projects of over **400m²**, we can customise any dazzling floor:

Step1: Choose the desired design from our Cobalt Design or ECONYL®DesignCollections.

Step2: Choose the two Cobalt SDN colours from our 28 available options.


Step3: Order your customised sample.



Collections



President E65340
President E65344
President E65345




Artisan Tweed 64840

Artisan Tweed

Artisan Tweed has a **minimalistic yet timeless design**. The tweed pattern is inspired by timeless Chanel fabrics and popular designs in hard flooring such as woven vinyl. The ECONYL® yarn makes this collection a sustainable topper. Artisan Tweed is more subtle and fits into any timeless interior in just about any setting. Mix and match Artisan Tweed with other sustainable designs such as Shoreline and Diamond Art.

minimalist
timeless
tweed pattern



Artisan Tweed 64840
Artisan Tweed 64850





64820

LRV 24,42



64821

LRV 21,86




64822

LRV 13,66



64830

LRV 7,84



64838

LRV 11,77



64840

LRV 23,88



64841

LRV 17,57



64842

LRV 12,40



64850

LRV 7,57



64860

LRV 11,09



64866

LRV 11,42



64870

LRV 10,50

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100%PA 6 - Econyl®

Pile weight
650g/m²(+/-)

Total weight
4.400g/m²(+/-)

Pile height
4,0 mm(+/-)

Total height
7,0mm (+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1




ECONYL®
ENDLESS POSSIBILITIES

Carpettile

Wall-to-wall




Artisan Tweed 64860
Groove Tones 62162
Groove Tones 62185



Atlas

Atlas would make an excellent choice. **Elegance and comfort are the keywords here.** Atlas is not a standard carpet; the collection exudes luxury. Thanks to the fine yarn with a striking texture, you enjoy a silky soft feeling. The soft touch is one of the advantages of Atlas. The carpet is suitable for project and residential use. From office to bedroom, Atlas fits any interior. Choose from a wide range of warm colours: cream, grey, ochre or red? The choice is yours!

luxurious
silky
soft





51310

LRV 23,90



51322

LRV 15,90



51320

LRV 14,70



51349

LRV 16,55



51338

LRV 9,76



51360

LRV 8,69



51380

LRV 4,58



51331

LRV 8,04



51342

LRV 8,11



51323

LRV 14,79



51336

LRV 5,10



51340

LRV 12,13



51335

LRV 5,83



51351

LRV 2,95




51362

LRV 4,67



51364

LRV 3,76



51350

LRV 5,43



51360

LRV 8,69



Atlas 51340

Technical details

Manufacturing type
tufted 1/8"

Construction
cut pile

Pile composition
100%PA - heatset

Pile weight
1.250g/m²(+/-)

Total weight
4.800g/m²(+/-)

Pile height
6,0 mm (+/-)

Total height
8,5mm (+/-)

Size
50 x 50 cm

Classification
32 general commercial

Fire resistance
Bfl-S1



Carpetile

Wall-to-wall



Belflor SDNLuxe 65730

Belflor SDNLuxe

Belflor SDNLuxe is a shiny collection with a residential look and feel. The thick deep pile creates a luxurious soft touch. Its frisé texture looks best at home and in hotel rooms. The collection is also ideal for high-end office spaces. Available in six neutral colourways.

Belflor SDNLuxe is designed with high-quality, durable materials that promote user well-being.



Belflor SDNLuxe 65730



65720



LRV 32,33



65730



LRV 26,06



65741



LRV 44,38



65743



LRV 17,54



65745



LRV 7,21



65750

LRV 5,65

Technical details

Manufacturing type
tufted 1/8"

Construction
2-ply cut pile

Pile composition
Solution Dyed

Pile weight
1.250g/m²(+/-)

Total weight
4.800g/m²(+/-)

Pile height
9,5mm (+/-)

Total height
12,0mm (+/-)

Size
50 x 50 cm

Classification
32 general commercial

Fire resistance
Bfl-S1




Carpettile



Wall-to-wall



Belflor SDNLuxe 65745



Cobalt Creations 6384290

**lively
transition
versatile**

Cobalt Creations

Cobalt Creations is a **modern modular concept of colour transition** that adds character to any interior. The collection combines the uni colours of Cobalt SDN. Create unique floor concepts with the vibrant colour tiles or go for modern and sleek with a neutral transition tile. You can go either way with the numerous laying patterns. The collection consists of 11 colour options.



Cobalt Creations 6384241
Cobalt Creations 6384251
Cobalt SDN64041
Cobalt SDN64051



6384283

LRV 9,06



6384280

LRV 8,50



6384238

LRV 9,80



6384249

LRV 14,34



6384290

LRV 15,03




6384273

LRV 10,48



6384263

LRV 9,43




6384260

LRV 7,74



6384251

LRV 7,47



6384250

LRV 8,71



6384241

LRV 15,09

Technical details

Manufacturing type
tufted 1/10"

Construction
loop pile

Pile composition
100% PA 6

Pile weight
550g/m²(+/-)

Total weight
4.300g/m²(+/-)

Pile height
3,0mm (+/-)

Total height
6,0 mm (+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1



Carpettile



Cobalt Creations 6384263
Cobalt SDN64042
Cobalt SDN64063




Cobalt SDN64062

Cobalt SDN

Cobalt SDN is our **solid base collection to mix and match with other collections**. Cobalt SDN is budget-friendly and offers 28 colours. Choose from warm, neutral shades or go for fresh, current colours. Combine the uni colours with our latest Cobalt Design Collections: Grunge, Hexagon Art, Cobalt Creations, Expression or Relined to boost any interior. Order Cobalt SDN from stock, all colours are quickly available.

The collection is designed with high-quality, durable materials that promote user well-being through good foot comfort and quiet acoustics.

**budget-friendly
reliable
versatile**



Cobalt SDN64061
Cobalt SDN64062





64096

LRV 3,92




64083

LRV 7,01



64080

LRV 5,73



64088

LRV 8,75



64090

LRV 20,09



64049

LRV 18,59



64070

LRV 5,51



64073

LRV 10,44



64060

LRV 4,05



64065

LRV 4,56



64063

LRV 7,55



64062

LRV 5,76



64061

LRV 9,85



64066

LRV 15,13

Technical details

Manufacturing type
tufted 1/10"

Construction
loop pile

Pile composition
100% PA 6

Pile weight
550g/m²(+/-)

Total weight
4.300g/m²(+/-)

Pile height
3,0mm (+/-)

Total height
6,0 mm (+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1



Cobalt SDN64061
Cobalt SDN64062
Cobalt SDN64065
Cobalt SDN64066
Cobalt SDN64090




Coral Lines 60345


economical
functional
wear-resistant

Coral (Lines)

Coral (Lines) has been developed to be **functional, economical and wear-resistant**. These properties make it extremely suitable for heavy commercial use and intensive project use. Coral is available in seven classic colours. Mix and match Coral or Coral Lines, six matching colours with a stripe design for an original look.




Coral Lines 60340
Coral Lines 60345



58351

LRV 3,85



58350

LRV 5,41



58342

LRV 9,99



58376

LRV 11,23



58360

LRV 6,19



60309

LRV 11,16




58309

LRV 12,39



58380

LRV 5,01



60380

LRV 7,28




60360

LRV 8,07



60376

LRV 10,58



60340

LRV 6,76



60345

LRV 7,58

Technical details

Manufacturing type
tufted 1/10"

Construction
loop pile

Pile composition
100% PA 6 BCF

Pile weight
485g/m²(+/-)

Total weight
4.200g/m²(+/-)


Pile height
3,0mm (+/-)

Total height
5,5mm (+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1




Carpettile



Wall-to-wall






Country SDN65240

Country SDN

Country SDN is without doubt **a unique collection thanks to the ultratuft technology**. This special production method results in an extremely durable and wear resistant carpet. Country SDN is the ideal choice for demanding and frequently used areas such as entrance halls, corridors and offices. The typical flat weavework and appearance of Country SDN can often be found in Scandinavian countries. The collection is available in nine minimalist solid colours.

Scandinavian
ulratuft
wear-resistant



Country SDN65240
Country SDN65250
Country SDN65251
Country SDN65255



65230

LRV 7,50




65231

LRV 11,59



65240

LRV 16,65




65241

LRV 19,33




65242

LRV 11,13




65244

LRV 13,20



65250

LRV 5,76



65251

LRV 5,76



65255

LRV 4,05



65255

LRV 2,95

Technical details

Manufacturing type
ultratuft 1/10"

Construction
loop pile

Pile composition
100% PA 6

Pile weight
550g/m²(+/-)

Total weight
4.100g/m²(+/-)

Pile height
1,0mm (+/-)

Total height
5,5mm (+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1



Carpettile



Country SDN65230
Country SDN65241
Country SDN65244



Diamond Art 64638

**concrete look
diamond pattern
versatile**

Diamond Art

Diamond Art has a **checkpatternwithaconcretelook** that draws your gaze to the floor. There is also a diamond pattern in it. This stylish pattern fits any interior, from the contract market to the hospitality sector. The regenerable ECONYL® yarn also makes it an ecological choice. Diamond Art is available in 12 different neutral colours. Combine the bold print of Diamond Art with Groove Tonesto create an original look.



Diamond Art 64621
Diamond Art 64638








64620

LRV 24,42



64621

LRV 21,86



64622

LRV 13,66




64630

LRV 7,84




64638

LRV 11,77




64640

LRV 23,88




64641

LRV 17,57




64642

LRV 12,40



64650

LRV 7,57



64660

LRV 11,09



64666

LRV 11,42



64670

LRV 10,50

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100%PA 6 - Econyl®

Pile weight
650g/m²(+/-)

Total weight
4.400g/m²(+/-)

Pile height
4,0 mm(+/-)

Total height
7,0mm (+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1

Pattern repeat
203 x 167 cm



ECONYL®
ENDLESS POSSIBILITIES

Carpettile

Wall-to-wall



Diamond Art 64622



Earth

Earth is inspired by nature and has **dynamic patterns and organic colours**. Nature's role is key in this collection because Earth is sustainable, thanks to the 100% regenerable ECONYL® yarn. This unique floor concept lets interior designers indulge themselves. Earth is suitable for any high-end commercial environment. The 11 rich colours bring warmth to any interior.

**expressive
innovative
natural**





61110

LRV 24,21



61111

LRV 21,18



61120

LRV 18,54



61123

LRV 8,55



61125

LRV 5,98




61132

LRV 8,88



61134

LRV 5,30



61140

LRV 12,74



61141

LRV 13,43



61142

LRV 7,09



61150

LRV 6,12

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100%PA 6 - Econyl®

Pile weight
800g/m²(+/-)

Total weight
4.550g/m²(+/-)

Pile height
5,0mm (+/-)

Total height
8,0 mm (+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1


Pattern repeat
405 x 250 cm



ECONYL®
ENDLESS POSSIBILITIES

Carpettile

Wall-to-wall



Earth 61110



Expression 6414241

Expression

Expression's **shipwood or paintbrush patterns catch the eye** and won't leave your attention. Expression belongs to the Cobalt Design Collections. The pattern creates a natural and dynamic look in any interior.

Available in 16 colours, this Solution Dyed product can be effortlessly combined with both the 28 solid colours of Cobalt SDN and the complementary patterns from Grunge, Hexagon Art and Relined. Expression is designed with high-quality, durable materials that promote user well-being.

expressive
organic
texture




Expression 6414241
Relined 6444541
Cobalt SDN64041




Cobalt SDN64065
Expression 6416540
Cobalt SDN64040

Mixed organics



Cobalt SDN64040



Cobalt SDN64065



Expression 6416540



Cobalt SDN64033



Cobalt SDN64063



Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100% PA 6

Pile weight
650g/m²(+/-)

Total weight
4.300g/m²(+/-)

Pile height
4,0 mm (+/-)

Total height
7,2mm (+/-)

Size
50 x 50 cm

Classification
33heavy commercial

Fire resistance
Bfl-S1

Pattern repeat
249 x 278 cm



6414110

LRV 24,15



6414441

LRV 16,07



6414241

LRV 13,92



6414240

LRV 14,20



6414544

LRV 10,61




6419640

LRV 8,85



6413120

LRV 14,98




6415044

LRV 9,59



6413233

LRV 5,19



6415130

LRV 5,38



6415145

LRV 6,53



6415550

LRV 4,13




6416140

LRV 13,30



6416240

LRV 10,65



6416340

LRV 11,17



6416540

LRV 10,21



Carpettile

Wall-to-wall



Groove 62140

Groove & Groove Tones

Groove's striped design looks elegant in any room. Thanks to its sustainable, 100% regenerable ECONYL® yarn, it is also an eco-friendly collection. You can place the stylish rug in any setting.

Combine Groove's seven striped colours with the **seven matching solid colours** from the **GrooveTones** collection. Ideal for mixing and matching with Groove's striped design.

elegant
mix & match
durable



Groove 62140
Groove 62165



Groove 62122 LRV 12,65



Groove 62140 LRV 15,24



Groove 62142 LRV 7,50



Groove 62150 LRV 5,34



Groove 62162 LRV 5,34



Groove 62165 LRV 6,06



Groove 62185 LRV 6,27



Groove Tones 62385 LRV 5,47



Groove Tones 62365 LRV 5,87



Groove Tones 62362 LRV 4,54



Groove Tones 62350 LRV 4,24



Groove Tones 62342 LRV 8,80



Groove Tones 62340 LRV 18,34



Groove Tones 62322 LRV 13,98

Technical details

Manufacturing type
tufted 1/10"

Construction
loop pile

Pile composition
100%PA6 - Econyl®

Pile weight
580g/m²(+/-)

Total weight
4.400g/m²(+/-)


Pile height
3,5mm (+/-)

Total height
6,5mm (+/-)

Size
50 x 50 cm

Classification
33 heavy commercial


Fire resistance
Bfl-S1



ECONYL®
ENDLESS POSSIBILITIES

Carpettile

Wall-to-wall



Groove Tones 62350
Groove 62140




Grunge 6423233

Grunge

Grunge is a bold, industrial and tough design. The concrete pattern gives a unique look to any interior. Mix and match Grunge with Cobalt SDN'suni colours to design a distinctive flooring concept. The collection is available in 15 different colours that contrast with the rug's industrial look.

concrete look
industrial
modern



Grunge 6423233
Cobalt SDN64033



6424110

LRV 23,66



6424441

LRV 15,42



6424240

LRV 12,98



6424241

LRV 13,44




6424544

LRV 9,94



6425044

LRV 8,09



6425145

LRV 5,77




6425550

LRV 3,75



6425130

LRV 5,15




6423233

LRV 4,75



6423120

LRV 14,28




6426140

LRV 11,33




6426240

LRV 8,83



6426563

LRV 5,11



6427073

LRV 6,87

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100% PA 6

Pile weight
650g/m²(+/-)

Total weight
4.300g/m²(+/-)

Pile height
4,0 mm (+/-)

Total height
7,0 mm (+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1


Pattern repeat
203 x 111 cm



Carpettile



Wall-to-wall



Grunge 6425550
Grunge 6424240



Hexagon Art 6434441

Hexagon Art


Hexagon Art has **an original design that draws your gaze to the floor**. The stylish honeycomb pattern fits perfectly in hospitality and office environments. Hexagon Art is available in 16 different colours, ranging from organic to bright shades. Can it be a bit more? Combine the bold print with the matching uni colours from the Cobalt SDN collection. That way, you create a unique flooring concept.

Hexagon Art is designed with high-quality, durable materials that promote user well-being through good comfort underfoot and quiet acoustics.

**honeycomb
mix and match
versatile**



Hexagon Art 6434441



Cobalt SDN64020

Hexagon Art 6433120

Cobalt SDN64020

Pantone
18-0921 TSX
Groundhog

Cobalt SDN64031

Hexagon Art 6433120



6434110

LRV 24,64



6434441

LRV 16,24




6434240

LRV 14,27



6434241

LRV 15,07



6435044

LRV 10,04



6433120

LRV 17,21



6433233

LRV 5,20



6435130

LRV 5,81



6435145

LRV 6,41



6435550

LRV 4,42



6436140

LRV 13,70



6436240

LRV 10,88



6436340

LRV 12,23

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100% PA 6

Pile weight
650g/m²(+/-)

Total weight
4.300g/m²(+/-)

Pile height
4,0 mm(+/-)

Total height
7,0mm (+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1

Pattern repeat
203 x 167 cm



Carpettle

Wall-to-wall






Lisbon 51539

Lisbon

Lisbon **combines sturdiness with a classic look** thanks to its velour texture. The carpet is popular in the hospitality sector, public spaces and offices. The short-pile design makes the collection extremely durable. Lisbon can take a beating. Choose from 11 different colours, ranging from neutral tones to brighter colours.

classic
hard-wearing
reliable



Lisbon 51539
Lisbon 51561



51521

LRV 14,94




51520

LRV 9,61




51538

LRV 10,86



51539

LRV 6,17



51583

LRV 6,29



51561

LRV 8,21



51562

LRV 4,71




51570

LRV 6,32




51542

LRV 9,76



51530

LRV 4,66



51550

LRV 4,67

Technical details

Manufacturing type
tufted 1/10"

Construction
cut pile

Pile composition
100% PA 6 BCF

Pile weight
700g/m²(+/-)

Total weight
4.450g/m²(+/-)

Pile height
4,5mm (+/-)

Total height
7,5mm (+/-)

Size
50 x 50 cm


Classification
33 heavy commercial

Fire resistance
Bfl-S1



Carpettile

Wall-to-wall




Lisbon 51542



Milano II

Milano II is a timeless classic thanks to its pindot design. The collection fits any interior, from commercial settings to the hospitality sector and office spaces. Milano II offers elegance and class with a modern touch. The solid design also makes the carpet colourfast, stain-resistant and soundabsorbing. The collection consists of 14 solution dyed colours.

elegant
solid
timeless



Milano II 60960



60920

LRV 14,24



60938

LRV 7,91




60931

LRV 4,64




60980

LRV 4,60



60981

LRV 5,25




60960

LRV 4,49



60964

LRV 4,47



60976

LRV 6,83



60940

LRV 11,01



60922

LRV 11,65



60942

LRV 5,67



60925

LRV 5,83



60950

LRV 4,19



60951

LRV 3,74

Technical details

Manufacturing type
tufted 1/10"

Construction
coc cut pile

Pile composition
100% PA 6 BCF

Pile weight
800g/m²(+/-)

Total weight
4.450g/m²(+/-)

Pile height
4,5mm (+/-)

Total height
7,0mm (+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1




Carpettile



Wall-to-wall





Normandy 59570


Normandy

Normandy is **one of our most creative collections**. The thicker pile, striking colours and cool design immediately catch the eye. Create dynamic floor concepts using the 11 colours.


**creative
dynamic
textured**



Normandy 59570
Normandy 59590



59538 LRV 8,84



59549 LRV 17,90



59555 LRV 4,52



59560 LRV 4,29



59563 LRV 4,77



59570 LRV 10,61



59575 LRV 13,66



59576 LRV 9,46



59583 LRV 7,32



59590 LRV 19,82



59596 LRV 4,05

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100% PA 6 BCF

Pile weight
850g/m²(+/-)

Total weight
4.600g/m²(+/-)

Pile height
6,5mm (+/-)

Total height
8,5mm (+/-)

Size
25 x 100 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1



Carpettle



Wall-to-wall



Normandy 59555



Oak

Oak **brings nature into any interior.** We got the idea for this collection from popular wooden floors. We incorporated the beauty of nature into a wood effect carpet plank. Yes, a plank, not a standard tile. The plank shape emphasises the natural look of the carpet. In addition to being unique, Oak is also sustainable. The collection is made from regenerated ECONYL®yarn. This unique floor concept lets interior designers indulge themselves. Oak is suitable for commercial use. Thanks to its organic and warm appearance, it is a winner in public spaces. It is equally suitable for a lobby, entrance hall or town hall.

durable
organic look
wood effect







59410 LRV 24,21



59411 LRV 21,18



59420 LRV 18,54




59423 LRV 8,88



59425 LRV 8,55



59432 LRV 5,98



59434 LRV 5,30



59441 LRV 13,43



59442 LRV 7,09



59450 LRV 6,12



59440 LRV 12,74

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100%PA 6 - Econyl®

Pile weight
800 g/m²(+/-)

Total weight
4.550 g/m²(+/-)

Pile height
5,0 mm (+/-)

Total height
8,0 mm (+/-)

Size
25 x 100 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1

Pattern repeat
203 x 250 cm



ECONYL®
ENDLESS POSSIBILITIES

Planktile





President E 65323

result-oriented
solid
sustainable

President E

President E **combines durability with superior quality.** The updated colour palette makes interesting designs whilst the structure creates an elegant look. President E is made from Solution Dyed Nylon and is the standard for floor coverings in both commercial and residential areas.

The frisé cut pile creates a neat finish and interesting look without sacrificing on performance. President E is made of 100% regenerable ECONYL® yarn. Choose from 17 contemporary colours.



President E 65323

Technical details

Manufacturing type
tufted 1/10"

Construction
3-plycut pile

Pile composition
100%PA6 heatset - Econyl®

Pile weight
1.300g/m²(+/-)

Total weight
4.800g/m²(+/-)

Pile height
5,5mm (+/-)

Total height
8,0 mm (+/-)

Size
50 x 50 cm

Classification
33heavy commercial

Fire resistance
Bfl-S1



ECONYL®
ENDLESS POSSIBILITIES

President E 65310
President E 65349
President E 65360
President E 65363
President E 65370



65310 LRV 22,25



Relined 6447073

Refined

Relined adds something extra to any office space. **The design with soft linear contrast creates an interesting and contemporary look.** The collection fits perfectly in office environments, the hospitality sector and in public spaces. Mix and match Relined with the Cobalt SDNuni colours to design a unique flooring concept.

The collection consists of 14 playful colour options ranging from greige to vibrant shades. Relined is designed with high-quality, durable materials that promote user well-being through good comfort underfoot and quiet acoustics.

contrast
striped design
versatile



Broadloom
Relined 6447073



6444110

LRV 24,25



6443120

LRV 16,94




6443233

LRV 5,22



6443230

LRV 5,96




6448038

LRV 7,54




6446063

LRV 5,76




6446061

LRV 6,75



6446140

LRV 13,06



6447073

LRV 7,98




6444541

LRV 14,21




6444441

LRV 16,32



6445042

LRV 8,52



6445142

LRV 6,83



6445550

LRV 4,19

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100% PA 6

Pile weight
600 g/m²(+/-)

Total weight
4.300g/m²(+/-)

Pile height
4,0 mm(+/-)

Total height
7,0mm (+/-)

Size
50 x 50 cm


Classification
33 heavy commercial

Fire resistance
Bfl-S1



Carpettile

Wall-to-wall



Relined 6445042




Shoreline 65022

Shoreline

Shoreline is **the ecological variant of Expression**. The ECONYL®yarn makes this collection a sustainable gem. Like Expression, Shoreline is daring and expressive. The ship's wood or paintbrush pattern catches the eye and holds the attention. The pattern on the carpet creates an interesting floor concept. Shoreline consists of 12 colour options, ranging from warm, natural tones to some fresh, bright colours.

expressive
natural
texture



Shoreline 65022
Shoreline 65070





65020

LRV 24,42



65021

LRV 21,86




65022

LRV 13,66



65030

LRV 7,84



65038

LRV 11,77



65040

LRV 23,88



65041

LRV 17,57




65042

LRV 12,40



65050

LRV 7,57



65060

LRV 11,09



65066

LRV 11,42



65070

LRV 10,50

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100%PA 6 - Econyl®

Pile weight
650g/m²(+/-)

Total weight
4.400g/m²(+/-)

Pile height
4,0 mm (+/-)

Total height
7,0 mm (+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1

Pattern repeat
249 x 278 cm



ECONYL®
ENDLESS POSSIBILITIES

Carpettile

Wall-to-wall



Shoreline 65021
President E 65350



Urban Textures 64921

Urban Textures

Urban Textures has **a special criss-cross pattern** that you can use in all directions. The collection makes a statement in a hospitality setting as well in office rooms. Colour outside the lines with the original design from Urban Textures. A bold yet ecological choice thanks to the regenerable ECONYL®yarn. Urban Textures consists of 13 neutral colours.

edgy
original
random pattern



Urban Textures 64921
Urban Textures 64922







64920

LRV 24,42




64921

LRV 21,86



64922

LRV 13,66



64930

LRV 7,84



64938

LRV 11,77



64940

LRV 23,88



64941

LRV 17,57




64942

LRV 12,40



64950

LRV 7,57



64960

LRV 11,09



64966

LRV 11,42



64970

LRV 10,50

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100%PA 6 - Econyl®

Pile weight
600 g/m²(+/-)

Total weight
4.300g/m²(+/-)

Pile height
3,5mm (+/-)

Total height
6,5mm (+/-)

Size
50 x 50 cm

Classification
33 heavy commercial

Fire resistance
Bfl-S1

Pattern repeat
244 x 200 cm




ECONYL®
ENDLESS POSSIBILITIES

Carpettile

Wall-to-wall



Urban Textures 64940
Urban Textures 64970



Vintage Felina 59820

artistic patchwork printed

Vintage

Vintage is perhaps one of Tapibel's **most original collections**. The artistic patchwork prints create a warm atmosphere. The sustainable ECONYL® carpet is originally made white and is then printed with ChromoJet technology. Dare to think outside the box and design your own unique floor concept. Each room can tell its own story using the three unique Vintage collection patterns:

Felina

A criss-cross pattern that closely resembles typical patchwork.

Firenze

A static pattern with accents of columns from ancient Florence.

Ferrara

A calmer weave pattern with bright colour combinations.

The three patterns are available in six coloured prints that you can mix and match.



Vintage Felina 59820

Technical details

Manufacturing type
tufted 1/10"

Construction
structured loop pile

Pile composition
100%PA 6 - Econyl®

Pile weight
900g/m²(+/-)

Total weight
4.500g/m²(+/-)

Pile height
5,0 mm (+/-)

Total height
7,0mm (+/-)

Size
50 x 50 cm

Classification
33heavy commercial

Fire resistance
Bfl-S1

Pattern repeat
Felina: 98,5 x 142,5cm
Firenze: 98,5 x 98,5cm



ECONYL®
ENDLESS POSSIBILITIES

Carpet tile

Wall-to-wall



Felina 59820

LRV 23,16

Technical details carpet tiles										
Collection	Page	Manufacturing type	Pile composition	Secondary backing	Pile weight	Total weight	Pile height	Total height	Tuft density	Size
Artisan Tweed	24	tufted 1/10"	100%PA6 - Econyl®	GREENBASEmodifiedbitumen	650(+/-) g/m ²	4.400(+/-) g/m ²	4,0 (+/-) mm	7,0(+/-) mm	192.000(+/-) /m ²	50x 50 cm
Atlas	32	tufted 1/8"	100%PA - heatset	GREENBASEmodifiedbitumen	1.250(+/-) g/m ²	4.800(+/-) g/m ²	6,0 (+/-) mm	8,5(+/-) mm	125.000(+/-) /m ²	50x 50 cm
Bellor SDN Luxe	36	tufted 1/8"	100%PA6	GREENBASEmodifiedbitumen	1.250(+/-) g/m ²	4.800(+/-) g/m ²	9,5(+/-) mm	12,0(+/-) mm	144.000(+/-) /m ²	50x 50 cm
Cobalt Creations	40	tufted 1/10"	100%PA6	GREENBASEmodified bitumen	550(+/-) g/m ²	4.300(+/-) g/m ²	3,0 (+/-) mm	6,0 (+/-) mm	164.000(+/-) /m ²	50x 50 cm
Cobalt SDN	44	tufted 1/10"	100%PA6	GREENBASEmodified bitumen	550(+/-) g/m ²	4.300(+/-) g/m ²	3,0 (+/-) mm	6,0 (+/-) mm	164.000(+/-) /m ²	50x 50 cm
Coral (Lines)	50	tufted 1/10"	100%PA6 BCF	GREENBASEmodified bitumen	485(+/-) g/m ²	4.200(+/-) g/m ²	3,0 (+/-) mm	5,5(+/-) mm	175.000(+/-) /m ²	50x 50 cm
Country SDN	54	ultratuft 1/10"	100%PA6	GREENBASEmodified bitumen	550(+/-) g/m ²	4.100(+/-) g/m ²	1,0(+/-) mm	5,5(+/-) mm	164.000(+/-) /m ²	50x 50 cm
Diamond Art	58	tufted 1/10"	100%PA6 - Econyl®	GREENBASEmodifiedbitumen	650(+/-) g/m ²	4.400(+/-) g/m ²	4,0 (+/-) mm	7,0(+/-) mm	192.000(+/-) /m ²	50x 50 cm
Earth	66	tufted 1/10"	100%PA6 - Econyl®	GREENBASEmodifiedbitumen	800 (+/-) g/m ²	4.550(+/-) g/m ²	5,0 (+/-) mm	8,0 (+/-) mm	190.000(+/-) /m ²	50x 50 cm
Expression	70	tufted 1/10"	100%PA6	GREENBASEmodifiedbitumen	650(+/-) g/m ²	4.300(+/-) g/m ²	4,0 (+/-) mm	7,0(+/-) mm	191.000(+/-) /m ²	50x 50 cm
Groove & Groove Tones	78	tufted 1/10"	100%PA6 - Econyl®	GREENBASEmodified bitumen	580(+/-) g/m ²	4.400(+/-) g/m ²	3,5(+/-) mm	6,5(+/-) mm	155.000(+/-) /m ²	50x 50 cm
Grunge	82	tufted 1/10"	100%PA6	GREENBASEmodifiedbitumen	650(+/-) g/m ²	4.300(+/-) g/m ²	4,0 (+/-) mm	7,0(+/-) mm	191.000(+/-) /m ²	50x 50 cm
Hexagon Art	86	tufted 1/10"	100%PA6	GREENBASEmodifiedbitumen	650(+/-) g/m ²	4.300(+/-) g/m ²	4,0 (+/-) mm	7,0(+/-) mm	191.000(+/-) /m ²	50x 50 cm
Lisbon	94	tufted 1/10"	100%PA6 BCF	GREENBASEmodified bitumen	700(+/-) g/m ²	4.450(+/-) g/m ²	4,5(+/-) mm	7,5(+/-) mm	196.000(+/-) /m ²	50x 50 cm
Milano II	98	tufted 1/10"	100%PA6 BCF	GREENBASEmodifiedbitumen	800 (+/-) g/m ²	4.450(+/-) g/m ²	4,5(+/-) mm	7,0(+/-) mm	223.000(+/-) /m ²	50x 50 cm
Normandy	102	tufted 1/10"	100%PA6 BCF	GREENBASEmodified bitumen	850(+/-) g/m ²	4.600(+/-) g/m ²	6,5(+/-) mm	8,5(+/-) mm	238.000(+/-) /m ²	25x 100 cm
Oak	106	tufted 1/10"	100%PA6 - Econyl®	GREENBASEmodifiedbitumen	800 (+/-) g/m ²	4.550(+/-) g/m ²	5,0 (+/-) mm	8,0 (+/-) mm	190.000(+/-) /m ²	25x 100 cm
President E	112	tufted 1/10"	100%PAheatset - Econyl®	GREENBASEmodifiedbitumen	1.300(+/-) g/m ²	4.800(+/-) g/m ²	5,5(+/-) mm	8,0 (+/-) mm	189.000(+/-) /m ²	50x 50 cm
Refined	116	tufted 1/10"	100%PA6	GREENBASEmodifiedbitumen	600 (+/-) g/m ²	4.300(+/-) g/m ²	4,0 (+/-) mm	7,0(+/-) mm	191.000(+/-) /m ²	50x 50 cm
Shoreline	120	tufted 1/10"	100%PA6 - Econyl®	GREENBASEmodifiedbitumen	650(+/-) g/m ²	4.400(+/-) g/m ²	4,0 (+/-) mm	7,0(+/-) mm	192.000(+/-) /m ²	50x 50 cm
Urban Textures	128	tufted 1/10"	100%PA6 - Econyl®	GREENBASEmodifiedbitumen	600 (+/-) g/m ²	4.300(+/-) g/m ²	3,5(+/-) mm	6,5(+/-) mm	192.000(+/-) /m ²	50x 50 cm
Vintage	136	tufted 1/10"	100%PA6 - Econyl®	GREENBASEmodifiedbitumen	900 (+/-) g/m ²	4.500(+/-) g/m ²	5,0 (+/-) mm	7,0(+/-) mm	191.000(+/-) /m ²	50x 50 cm

Classification	Comfort rating	Dimensional stability	Fire resistance	Thermal resistance	Sound absorption	Impact sound reduction	Light fastness	Rubbing fastness	Pattern repeat (W x H)
33	LC 1	≤ 0,2%	Bfl-S1loose laid	0,072m ² /K/W	0,15 α _w	26 dB ΔL _w 42 dB ΔL (1000Hz)	≥ 5	≥ 7	
32	LC 3	≤ 0,2%	Bfl-S1loose laid	0,073m ² /K/W	0,25 α _w	29 dB ΔL _w 50 dB ΔL (1000 Hz)	≥ 6	≥ 4,5	
32	LC 5	≤ 0,2%	Bfl-S1loose laid	0,122m ² /K/W	0,20 α _w	25 dB ΔL _w 42 dB ΔL (1000Hz)	≥ 7	≥ 5	
33	LC 2	≤ 0,2%	Bfl-S1loose laid	0,064m ² /K/W	0,15 α _w	24 dB ΔL _w 35 dB ΔL (1000 Hz)	8	4,5	
33	LC 2	≤ 0,2%	Bfl-S1loose laid	0,064m ² /K/W	0,15 α _w	24 dB ΔL _w 35 dB ΔL (1000 Hz)	8	4,5	
33	LC 1	≤ 0,2%	Bfl-S1loose laid	0,066m ² /K/W	0,15 α _w	23 dB ΔL _w 35 dB ΔL (1000 Hz)	≥ 8	≥ 4,5	
33	LC 1	≤ 0,2%	Bfl-S1loose laid	0,064m ² /K/W	0,15 α _w	21 dB ΔL _w 33 dB ΔL (1000 Hz)	8	4,5	
33	LC 1	≤ 0,2%	Bfl-S1loose laid	0,072m ² /K/W	0,15 α _w	26 dB ΔL _w 42 dB ΔL (1000Hz)	≥ 7	≥ 5	203 x 167 cm
33	LC 2	≤ 0,2%	Bfl-S1loose laid	0,100m ² /K/W	0,20 α _w	27 dB ΔL _w 39 dB ΔL (1000 Hz)	≥ 7	≥ 5	405 x 250 cm
33	LC 1	≤ 0,2%	Bfl-S1loose laid	0,066m ² /K/W	0,15 α _w	25 dB ΔL _w 42 dB ΔL (1000Hz)	≥ 6	4,5	249 x 278 cm
33	LC 2	≤ 0,2%	Bfl-S1loose laid	0,057m ² /K/W	0,15 α _w	24 dB ΔL _w 33 dB ΔL (1000 Hz)	6-7	4,5	
33	LC 1	≤ 0,2%	Bfl-S1loose laid	0,066m ² /K/W	0,15 α _w	25 dB ΔL _w 42 dB ΔL (1000Hz)	≥ 6	4,5	203 x 111 cm
33	LC 1	≤ 0,2%	Bfl-S1loose laid	0,066m ² /K/W	0,15 α _w	25 dB ΔL _w 42 dB ΔL (1000Hz)	≥ 6	4,5	203 x 167 cm
33	LC 2	≤ 0,2%	Bfl-S1loose laid	0,068m ² /K/W	0,20 α _w	27 dB ΔL _w 45 dB ΔL (1000 Hz)	≥ 7-8	≥ 4,5	
33	LC 2	≤ 0,2%	Bfl-S1loose laid	0,068m ² /K/W	0,20 α _w	29 dB ΔL _w 49 dB ΔL (1000Hz)	≥ 6	≥ 4,5	
33	LC 2	≤ 0,2%	Bfl-S1loose laid	0,099m ² /K/W	0,20 α _w	27 dB ΔL _w 39 dB ΔL (1000Hz)	≥ 6	≥ 3	
33	LC 2	≤ 0,2%	Bfl-S1loose laid	0,100m ² /K/W	0,20 α _w	27 dB ΔL _w 39 dB ΔL (1000Hz)	≥ 7	≥ 5	203 x 250 cm
33	LC 4	≤ 0,2%	Bfl-S1loose laid	0,073m ² /K/W	0,25 α _w	29 dB ΔL _w 50 dB ΔL (1000 Hz)	≥ 7	≥ 5	
33	LC 1	≤ 0,2%	Bfl-S1loose laid	0,066m ² /K/W	0,15 α _w	25 dB ΔL _w 42 dB ΔL (1000Hz)	≥ 6	4,5	
33	LC 1	≤ 0,2%	Bfl-S1loose laid	0,072m ² /K/W	0,15 α _w	26 dB ΔL _w 42 dB ΔL (1000Hz)	≥ 7	≥ 5	249 x 278 cm
33	LC 1	≤ 0,2%	Bfl-S1loose laid	0,072m ² /K/W	0,15 α _w	26 dB ΔL _w	≥ 7	≥ 5	244 x 200 cm
33	LC 2	≤ 0,2%	Bfl-S1loose laid	0,068m ² /K/W	0,15 α _w	26 dB ΔL _w 42 dB ΔL (1000Hz)	≥ 5-6	≥ 3-4	Felina: 98,5 x 142,5cm Firenze: 98,5 x 98,5 cm



www.tapibel.be sales@tapibel.be

Industrielaan 4 - Nolimpark 1319
B-3900 Pelt - Belgium
Tel : +32 11 80 48 50

